

Value Series

**9CH/16CH/32CH/64CH
4K NVR / POE NVR**

NVR 6.0

Application Manual



4K HD Output



9CH/16CH



H.264/H.264+
H.265/H.265+



Motion Detection



SATA



RJ45




USB



Playback



Two-way Audio



VGA

64CH MAX. INPUT

☒ SATA

☒ 2 x USB


☒ 2 x RJ-45

☒ 1 VGA, 1 HD


☒ Audio In & Out

☒ 4CH 1080P@30fps

NVR 6.0



Display 12MP Ultra HD Output



Storage




Up to 10TB capacity for each HDD


1-8 SATA Hard Disk Interfaces (3.5" SATA)

Video Compression


Faster loading and clearer picture quality



Storage space required for the same HDD




Playback





Decode Capability 4CH 1080P(1920x1080)@480fps

Connection Diagram




Dimension

C



K1



Features

Two-way Audio

1 VGA, 1 HD

Video Input: 9CH (3840*2160, 2592x1944, 2048x1536,
1920x1080, 1280x960, 1280x720, etc)

Motion Detection: 9CH

Up to 8MP Resolution Recording

H265/H264/H265+/H264+

1 SATA HDD Up to 10TB capacity

Bandwidth: 80Mbps

Power Input: DC 12V/2A

9CH NVR

MODEL

NVR3109C1



NVR3109k1



Features

9CH NVR 4CH POE

Two-way Audio

1 VGA, 1 HD

Video Input: 9CH (3840*2160, 2592x1944, 2048x1536,
1920x1080, 1280x960, 1280x720, etc)

Alarm: 4CH input/1CH Output

Motion Detection: 9 CH

Up to 4K Resolution Recording

H265/H264/H265+/H264+

1 SATA HDD, up to 8 TB

Bandwidth: 80Mbps

Power Input: DC 48V/1.36A

MODEL

NVR3109C1P4



NVR3109K1P4



Features

Two-way Audio

1 VGA, 1 HD

Video Input: 16CH (3840*2160, 2592x1944, 2048x1536,
1920x1080, 1280x960, 1280x720, etc)

Motion Detection: 16CH

Up to 8MP Resolution Recording

H265/H264/H265+/H264+

1 SATA HDD Up to 10TB capacity

Bandwidth: 120Mbps

Power Input: DC 12V/2A

16CH NVR

MODEL

NVR3116C1



NVR3116K1



Features

16CH NVR 8CH POE

Two-way Audio

1 VGA, 1 HD

Video Input: 16CH (3840*2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc)

Motion Detection: 16CH

Up to 8MP Resolution Recording

H265/H264/H265+/H264+

1 SATA HDD Up to 8 TB capacity

Bandwidth: 100Mbps

Power Input: DC 48V/2.5A

MODEL

NVR3116C1P8




NVR3116K1P8



Dimension

K2



Features

16CH NVR

Two-way Audio

1 VGA, 1 HD

Video Input: 16CH (12MP/8MP/6MP/5MP/4MP/3MP/
1080p/1280x1024/960p/720p/D1/CIF)

Motion Detection: 16CH

Up to 12MP Resolution Recording

H265/H264/H265+/H264+

Storage: 2*Max 10TB

Bandwidth: 120Mbps

Power Input: DC12V/4A

NVR3216K2



Features

16CH NVR 16CHPOE

Two-way Audio

1 VGA, 1 HD

Video Input: 16CH (12MP/8MP/6MP/5MP/4MP/3MP/1080p/
1280x1024/960p/720p/D1/CIF)

Alarm: 16CH input/4CH Output

Motion Detection: 16CH

Up to 4K Resolution Recording

H265/H264/H265+/H264+

Storage: 2*Max 10TB

Bandwidth: 120Mbps

Power Input: 100-240V AC

NVR3216K2P16



Features

32CH NVR

Two-way Audio

1 VGA, 1 HD

Video Input: 32CH (4000*3000, 3840*2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc)

Motion Detection: 32CH

Up to 12MP Resolution Recording

H265/H264/H265+/H264+

Storage: 2*Max 10TB

Bandwidth: 320Mbps

Power Input: DC12V/4A

NVR3332K2



Features

32CH NVR **16CH POE**

Two-way Audio

1 VGA, 1 HD

Video Input: 32CH (4000*3000, 3840*2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc)

Alarm: 4CH input/1CH Output

Motion Detection: 32CH

Up to 4K Resolution Recording

H265/H264/H265+/H264+

Storage: 2*Max 10TB

Bandwidth: 120Mbps


Power Input: 100-240V AC

NVR3332K2P16



Dimension

K4



Features

32CH NVR

NVR3332K4



Two-way Audio

1 VGA, 1 HD

Video Input: 32CH (12MP/8MP/6MP/5MP/4MP/3MP/
1080p/1280x1024/960p/720p/D1/CIF)

Motion Detection: 32CH

Up to 12MP Resolution Recording

H265/H264/H265+/H264+

Storage: 4*Max 10TB

Bandwidth: 320Mbps

Power Input: 100-240V AC



Features

Two-way Audio

1 VGA, 1 HD

Video Input: 32CH

Alarm: 16CH input/4CH Output Motion

Detection: 32CH

Up to 4K Resolution Recording

H265/H264/H265+/H264+

Storage: 4*Max 10TB, 1xESATA Bandwidth:

320Mbps

Power Input: 100-240V AC


32CH NVR **24CH POE**

NVR3332K4P24



Dimension

K8



Features

Two-way Audio

1 VGA, 2HD

Video Input: 32CH (4000*3000, 3840*2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc)

Motion Detection: 32CH

Up to 12MP Resolution Recording

H265/H264/H265+/H264+

Storage: 8*Max 10TB, 1xESATA

Bandwidth: 320Mbps

Power Input: 100-240V AC

32CH NVR

NVR3332K8



Features

Two-way Audio

1 VGA, 2 HD

Video Input: 32CH

Alarm: 16CH input/4CH Output Motion

Detection: 32CH

Up to 4K Resolution Recording

H265/H264/H265+/H264+

Storage: 8*Max 10TB, 1xESATA Bandwidth:

320Mbps

Power Input: 100-240V AC

32CH NVR **16CH POE**

NVR3332K8P16



Features

Two-way Audio

1 VGA, 2 HD

Video Input: 64CH (4000*3000, 3840*2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc)

Motion Detection: 64CH

Up to 12MP Resolution Recording

H265/H264/H265+/H264+

Storage: 8*Max 10TB, 1xESATA

Bandwidth: 640Mbps

Power Input: 100-240V AC

64CH NVR

NVR3664K8



Features

Two-way Audio

1 VGA, 2 HD

Video Input: 64CH

Alarm: 16CH input/4CH Output Motion

Detection: 64CH

Up to 4K Resolution Recording

H265/H264/H265+/H264+

Storage: 8*Max 10TB, 1xESATA Bandwidth:

640Mbps

Power Input: 100-240V AC

64CH NVR **16CH POE**

NVR3664K8P16



Application Scenarios

With cameras, it can be widely used in various places:
Stations, Garages, Shopping malls, Schools, etc.



Social Media Platform




FACEBOOK



LINKEDIN



TIKTOK



TWITTER



WECHAT



YOUTUBE



WEBSITE

For more information about Longse
Please follow our social media platforms.